The AS380/15 is a compact and user-friendly micro scrubber/dryer perfect for cleaning in narrow areas.

Perfect for daily indoor scrubbing and drying in light to medium duty areas such as offices, hotels, hospitals, schools, smaller supermarkets and other retail outlets.

With this compact micro scrubber/dryer you can easily clean the floors in narrow areas.

The AS380/15 is easy to use and with handles on the side of the water tank makes it highly user-friendly. The foldable handles makes it easy to transport and storage the machine.

Extremely compact machine that makes it easy to manoeuvre and transport.

- Ergonomic, adjustable and foldable handle
- Extremely compact
- Easy to manoeuvre, transport and storage
- Easy to use and service
- Easy to clean, refill and empty
- Suitable for application in narrow area
- Rotationally moulded tank
- Robust handle lock
- Two tanks system
- Battery and Cable versions EU and UK versions.

Standard equipment



Picture shown may not represent model quoted

	Included accessories	Ref. no.	Min. required	AS380/15B- EU 15 SCRUBBER 24V 50/60HZ	AS380/15B- UK 15 SCRUBBER 24V 50/60HZ	AS380/15C- EU 15 230-240V 50/60HZ
Disc Brush 38	30 mm	·				
	BRUSH 15INCH PLASTIC	VF89801	1	•	•	•
Battery and C	Charger					
	KIT CHARGER 24VDC 50-60HZ	VF89023UK	1		•	
	KIT CHARGER 24VDC 50-60HZ	VF89023EU	1	•		
Viper Access	ory					
	BLADE SQUEEGEE FRONT	VF89807	1	•	•	•
P	BLADE SQUEEGEE REAR	VF89808	1	•	•	•
0	BRUSH 15INCH PLASTIC	VF89830	1			



Standard equipment

	Included accessories	Ref. no.	Min. required	AS380/15C- UK 15 230-240V 50/60HZ	AS380/15B-TR SCRUBBER 24V 50/60HZ	AS380/15C- TR SCRUBBER 230-240V 50/60HZ
Disc Brush 38	30 mm					
	BRUSH 15INCH PLASTIC	VF89801	1	•	•	•
Battery and C	Charger					
	KIT CHARGER 24VDC 50-60HZ	VF89023UK	1			
	KIT CHARGER 24VDC 50-60HZ	VF89023EU	1		•	
Viper Access	ory					
	BLADE SQUEEGEE FRONT	VF89807	1	•	•	•
P	BLADE SQUEEGEE REAR	VF89808	1	•	•	•
\bigcirc	BRUSH 15INCH PLASTIC	VF89830	1			

• Standard equipment

	Included accessories	Ref. no.	Min. required	FANG15B SCRUBBER 24V	AS380/15C- AU CABLE SCRUBBER 230-240V	AS380/15B- AU 15INCH SCRUBBER 24V 50/60HZ
Disc Brush 34	30 mm				^ 	
	BRUSH 15INCH PLASTIC	VF89801	1		•	•
Battery and C	Charger					
	KIT CHARGER 24VDC 50-60HZ	VF89023UK	1			
	KIT CHARGER 24VDC 50-60HZ	VF89023EU	1			
Viper Access	ory					
	BLADE SQUEEGEE FRONT	VF89807	1	•	•	•
P	BLADE SQUEEGEE REAR	VF89808	1	•	•	•
\bigcirc	BRUSH 15INCH PLASTIC	VF89830	1	٠		



Model	AS380/15B-EU 15 SCRUBBER 24V 50/60HZ	AS380/15B-UK 15 SCRUBBER 24V 50/60HZ	AS380/15C-EU 15 230-240V 50/60HZ
Ref. no.	50000199	50000200	50000201
PRODUCT FEATURES			
Compact design	•	•	•
Adjustable handle	•	•	•
Model	AS380/15C-UK 15 230-240V 50/60HZ	AS380/15B-TR SCRUBBER 24V 50/60HZ	AS380/15C-TR SCRUBBER 230-240V 50/60HZ
Ref. no.	50000202	50000211	50000212
PRODUCT FEATURES			
Compact design	•	•	•
Adjustable handle	•	•	•
Model	FANG15B SCRUBBER 24V	AS380/15C-AU CABLE SCRUBBER 230-240V	AS380/15B-AU 15INCH SCRUBBER 24V 50/60HZ
Ref. no.	FANG15B	50000323	50000322
PRODUCT FEATURES			
Compact design	•	•	•
Adjustable handle	•	•	•
Technical specifications	AS380/15B-EU 15 SCRUBBER 24V 50/60HZ	AS380/15B-UK 15 SCRUBBER 24V 50/60HZ	AS380/15C-EU 15 230-240V 50/60HZ
Cable length (m)/ plug type	-	-	15/EU
Brush motor (W)	250	250	250
Vacuum motor power (W)	300	300	300
Battery type	2X12V/33Ah/C20	2X12V/33Ah/C20	-
Vacuum (mm H2O)	800	800	800
Sound pressure level (dB(A))	68	68	72
Productivity rate (m²/h)	750	750	750
Brush speed (RPM)	150	150	140
Battery compartment size (LxWxH) (mm)	262x196x175mm	262x196x175mm	-
Gross weight (gvw) (kg)	65	65	44
Operating weight (kg)	60	60	40
Dimensions L x W x H	780x415x590mm	780x415x590mm	780x415x590mm
Pad/Brush Size	380mm	380mm	380mm
Squeegee Width	490mm	490mm	490mm
Solution/Recovery Tank Capacity	15/15L	15/15L	15/15L



Technical specifications	AS380/15C-UK 15 230-240V 50/60HZ	AS380/15B-TR SCRUBBER 24V 50/60HZ	AS380/15C-TR SCRUBBER 230-240V 50/60HZ
Cable length (m)/ plug type	15/UK	-	15/EU
Brush motor (W)	250	250	250
Vacuum motor power (W)	300	300	300
Battery type	-	2X12V/33Ah/C20	-
Vacuum (mm H2O)	800	800	800
Sound pressure level (dB(A))	72	68	72
Productivity rate (m²/h)	750	750	750
Brush speed (RPM)	140	150	140
Battery compartment size (LxWxH) (mm)	-	262x196x175mm	-
Gross weight (gvw) (kg)	44	65	44
Operating weight (kg)	40	60	40
Dimensions L x W x H	780x415x590mm	780x415x590mm	780x415x590mm
Pad/Brush Size	380mm	380mm	380mm
Squeegee Width	490mm	490mm	490mm
Solution/Recovery Tank Capacity	15/15L	15/15L	15/15L
Technical specifications	FANG15B SCRUBBER 24V	AS380/15C-AU CABLE SCRUBBER 230-240V	AS380/15B-AU 15INCH SCRUBBER 24V 50/60HZ
Cable length (m)/ plug type	-	15/AU	-
Brush motor (W)	1/3hp	250	250
Vacuum motor power (W)	1/3hp	300	300
Battery type	2X12V/33Ah/C20	-	2X12V/33Ah/C20
Vacuum (mm H2O)	800	800	800
Sound pressure level (dB(A))	68	72	68
Productivity rate (m²/h)	750	750	750
Brush speed (RPM)	150	140	150
Battery compartment size (LxWxH) (mm)	262x196x175mm	-	262x196x175mm
Gross weight (gvw) (kg)	135lbs	44	65
Operating weight (kg)	124lbs	40	60
Dimensions L x W x H	30x20x21.7in	780x415x590mm	780x415x590mm
Pad/Brush Size	20in	380mm	380mm
Squeegee Width	20in	490mm	490mm
Solution/Recovery Tank Capacity	3.5gal	15/15L	15/15L



ullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

	Accessories	Ref. no.	Min. required	AS380/15B- EU 15 SCRUBBER 24V 50/60HZ	AS380/15B- UK 15 SCRUBBER 24V 50/60HZ	AS380/15C- EU 15 230-240V 50/60HZ
Squeegee,	Blade, Skirt and Splash Guard					
	BLADE SQUEEGEE FRONT	VF89502	1			
	BLADE SQUEEGEE REAR	VF89503	1			
Disc Brush	380 mm					
	BRUSH 15INCH PLASTIC	VF89801	1	•	•	•
Battery and	Charger			1		
	KIT CHARGER 24VDC 50-60HZ	VF89023UK	1		•	
	KIT CHARGER 24VDC 50-60HZ	VF89023EU	1	•		
Viper Acces	sory					
	BLADE SQUEEGEE FRONT	VF89807	1	•	•	•
P	BLADE SQUEEGEE REAR	VF89808	1	•	•	•
0	BRUSH 15INCH PLASTIC	VF89830	1			
	PAD DRIVER FOR 15INCSCRUBBER	VF89817	1	0	0	0
Squeegee E	Blade				1	
	SQUEEGEE BLADE FRONT PU	VF89807-PU	1	0	0	0
	SQUEEGEE BLADE REAR PU	VF89808-PU	1	0	0	0

ullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

	Accessories	Ref. no.	Min. required	AS380/15C- UK 15 230-240V 50/60HZ	AS380/15B-TR SCRUBBER 24V 50/60HZ	AS380/15C- TR SCRUBBER 230-240V 50/60HZ
Squeegee, B	Squeegee, Blade, Skirt and Splash Guard					
	BLADE SQUEEGEE FRONT	VF89502	1			
	BLADE SQUEEGEE REAR	VF89503	1			
Disc Brush 3	Disc Brush 380 mm					
	BRUSH 15INCH PLASTIC	VF89801	1	•	•	•
Battery and (Charger					
	KIT CHARGER 24VDC 50-60HZ	VF89023UK	1			
	KIT CHARGER 24VDC 50-60HZ	VF89023EU	1		•	
Viper Access	/iper Accessory					
	BLADE SQUEEGEE FRONT	VF89807	1	•	•	•



Accessories		Ref. no.	Min. required	AS380/15C- UK 15 230-240V 50/60HZ	AS380/15B-TR SCRUBBER 24V 50/60HZ	AS380/15C- TR SCRUBBER 230-240V 50/60HZ
P	BLADE SQUEEGEE REAR	VF89808	1	٠	•	•
\bigcirc	BRUSH 15INCH PLASTIC	VF89830	1			
	PAD DRIVER FOR 15INCSCRUBBER	VF89817	1	0	0	0
Squeegee Bla	Squeegee Blade					
	SQUEEGEE BLADE FRONT PU	VF89807-PU	1	0	0	0
	SQUEEGEE BLADE REAR PU	VF89808-PU	1	0	0	0

 \bullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

	Accessories	Ref. no.	Min. required	FANG15B SCRUBBER 24V	AS380/15C- AU CABLE SCRUBBER 230-240V	AS380/15B- AU 15INCH SCRUBBER 24V 50/60HZ
Squeegee, B	lade, Skirt and Splash Guard					
	BLADE SQUEEGEE FRONT	VF89502	1	0		
	BLADE SQUEEGEE REAR	VF89503	1	0		
Disc Brush 3	80 mm					
	BRUSH 15INCH PLASTIC	VF89801	1		•	•
Battery and (Charger				1	
	KIT CHARGER 24VDC 50-60HZ	VF89023UK	1			
	KIT CHARGER 24VDC 50-60HZ	VF89023EU	1			
Viper Access	ory				1	
	BLADE SQUEEGEE FRONT	VF89807	1	•	•	•
P	BLADE SQUEEGEE REAR	VF89808	1	•	•	•
0	BRUSH 15INCH PLASTIC	VF89830	1	•		
	PAD DRIVER FOR 15INCSCRUBBER	VF89817	1	0	0	0
Squeegee Bl	ade					
	SQUEEGEE BLADE FRONT PU	VF89807-PU	1	0	0	0
	SQUEEGEE BLADE REAR PU	VF89808-PU	1	0	0	0

