
## Designed to deliver continuous high-performance cleaning

With a working width of 51 cm and a powerful 450 W brush motor, these machines will get the job done with both speed and ease. Especially if you go for the model AS5160 T – for Traction – equipped with a 150 W drive motor bringing the scrubber dryer forward. Hours of non-stop cleaning are ensured by the 61 liter capacity of both water tank and recovery tank – and the power packed 2x12 Volt batteries.

The machines are well-balanced and easy to maneuver thanks to their big wheels and strong casters. Hour meter and water level indicator will keep you updated, and the speed reducing gear drive system of the Traction version ensure smooth operation with a minimum of effort. When it's time to empty, refill and clean the scrubber dryers, all handling can easily be carried out, saving time and costs.

- Easy to maneuver and transport: Big wheels and strong caters, making the machine well-balanced
- Easy and convenient operation: 2 pcs safety switches
- · Control panel with intuitive display and buttons
- · Productive: Working width 51 cm
- · Brush and pad driver can be installed/un-installed automatically
- · Hour meter: Check how many hours the machine has been running
- · Water level indicator with volume visible on the tank
- High capacity for increased productivity: 61-liter water tank/ 61-liter recovery tank
- · Robust and solid: Steady chassis system and rotationally molded tanks
- Reliable: Heavy duty 79 cm aluminum squeegee
- · Accessories: Brush, pad holder, batteries 12V x2 and onboard charger
- · Optional brush skirt kit prevents the machine from splashing water splashing water
- AS5160T Traction-model: 150W drive motor





Included accessories		Ref. no.	Min. required	AS5160-EU SCRUBBER 20INCH 60L 24V	AS5160-US SCRUBBER 20INCH 60L 24V	AS5160-TR SCRUBBER 20INCH 60L 24V
Pad Holder						
	20INCH PAD HOLDER	VF90416	1	•		
	20INCH PAD HOLDER	VF90454	1		•	
Disc Brush						
	20BRUSH	VF90417	1	•		•
Squeegee Bla	nde					





Picture shown may not represent model quoted

# Designed to deliver continuous high-performance cleaning

Included accessories	Ref. no.	Min. required	AS5160-EU SCRUBBER 20INCH 60L 24V	AS5160-US SCRUBBER 20INCH 60L 24V	AS5160-TR SCRUBBER 20INCH 60L 24V
20 BLADE FRONT	VF90119	1	•	•	•
20 BLADE REAR	VF90120	1	•	•	•
On-Board Charger					
CHARGER 24V 10A	VR27041	1	•		•

•	Standard	equipment

Included accessories		Ref. no.	Min. required	AS5160T-EU SCRUBBER 20IN 60L24V TRACTION	AS5160T-US SCRUBBER 20IN 60L24V TRACTION	AS5160T-TR SCRUBBER 20IN 60L24V TRACTION	
Pad Holder							
	20INCH PAD HOLDER	VF90416	1	•			
	20INCH PAD HOLDER	VF90454	1		•		
Disc Brush		'			1		
	20BRUSH	VF90417	1	•		•	
Squeegee Bl	ade	'		'	'		
	20 BLADE FRONT	VF90119	1	•	•	•	
	20 BLADE REAR	VF90120	1	•	•	•	
On-Board Ch	arger						
	CHARGER 24V 10A	VR27041	1	•		•	

Model	SCRUBBER 20INCH 60L 24V	SCRUBBER 20INCH 60L 24V	SCRUBBER 20INCH 60L 24V
Ref. no.	50000398	50000401	50000402
PRODUCT FEATURES			
Hour Meter	•	•	•
Battery version	•	•	•
Recovery emptying hoses	•	•	•
Water level indicator	•	•	•



AS5160-US

AS5160-TR

AS5160-EU

# Designed to deliver continuous high-performance cleaning

Model	AS5160T-EU SCRUBBER 20IN 60L24V TRACTION	AS5160T-US SCRUBBER 20IN 60L24V TRACTION	AS5160T-TR SCRUBBER 20IN 60L24V TRACTION
Ref. no.	50000403	50000406	50000407
PRODUCT FEATURES			
Hour Meter	•	•	•
Battery version	•	•	•
Recovery emptying hoses	•	•	•
Water level indicator	•	•	•
Technical specifications	AS5160-EU SCRUBBER 20INCH 60L 24V	AS5160-US SCRUBBER 20INCH 60L 24V	AS5160-TR SCRUBBER 20INCH 60L 24V
Working speed (km/h)	N/A	N/A	N/A
Brush motor (W)	450	450	450
Traction motor power (W)	N/A	N/A	N/A
Vacuum motor power (W)	350	350	350
Battery type	2x12V 100Ah AGM	Option	2x12V 100Ah AGM
Vacuum (mm H2O)	1200	1200	1200
Sound pressure level (dB(A))	69	69	69
Max. climbing rate (%)	2%	2%	2%
Water flow (I/m)	0-2.4L/min	0-0.63gal	0-2.4L/min
Squeegee width (mm)	790	31in	790
Brush/pad diameter (mm)	510	20in	510
Brush pressure (kg)	27	60lbs	27
Brush speed (RPM)	150	150	150
Dimensions (L x W x H) (mm)	1370x600x1220	52x22x39in	1370x600x1220
Battery compartment size (LxWxH) (mm)	350x350x300	14x14x48in	350x350x300
Net weight (kg)	85	187lbs	85
Gross vehicle weight (gvw) (kg)	214.8	474lbs	214.8
Shipping weight (kg)	115	254lbs	115
Solution/Recovery Tank Capacity	61/61L	16/16gall	61/61L
Technical specifications	AS5160T-EU SCRUBBER 20IN 60L24V TRACTION	AS5160T-US SCRUBBER 20IN 60L24V TRACTION	AS5160T-TR SCRUBBER 20IN 60L24V TRACTION
Working speed (km/h)	0-4.5	0-41ft/s	0-4.5
Brush motor (W)	450	450	450
Traction motor power (W)	150	150	150
Vacuum motor power (W)	350	350	350
Battery type	2x12V 100Ah AGM	Option	2x12V 100Ah AGM
Vacuum (mm H2O)	1200	1200	1200



# Designed to deliver continuous high-performance cleaning

Technical specifications	AS5160T-EU SCRUBBER 20IN 60L24V TRACTION	AS5160T-US SCRUBBER 20IN 60L24V TRACTION	AS5160T-TR SCRUBBER 20IN 60L24V TRACTION
Sound pressure level (dB(A))	69	69	69
Max. climbing rate (%)	2%	2%	2%
Water flow (I/m)	0-2.4L/min	0-0.63gal	0-2.4L/min
Squeegee width (mm)	790	31in	790
Brush/pad diameter (mm)	510	20in	510
Brush pressure (kg)	23	50lbs	23
Brush speed (RPM)	150	150	150
Dimensions (L x W x H) (mm)	1370x600x1220	52x22x39in	1370x600x1220
Battery compartment size (LxWxH) (mm)	350x350x300	14x14x48in	350x350x300
Net weight (kg)	93	205lbs	93
Gross vehicle weight (gvw) (kg)	222.8	491lbs	222.8
Shipping weight (kg)	123	271lbs	123
Solution/Recovery Tank Capacity	61/61L	16/16gall	61/61L

 $<sup>\</sup>bullet$  Standard equipment,  $^{\bigcirc}$  Supplementary accessories,  $^{\square}$  Mountable equipment

	Accessories	Ref. no.	Min. required	AS5160-EU SCRUBBER 20INCH 60L 24V	AS5160-US SCRUBBER 20INCH 60L 24V	AS5160-TR SCRUBBER 20INCH 60L 24V	
Squeegee Bla	Squeegee Blade						
	20 BLADE FRONT	VF90119	1	•	•	•	
	20 BLADE REAR	VF90120	1	•	•	•	
	SQUEEGEE BLADE FRONT PU - AS510	VF90148	1	0	0	0	
	SQUEEGEE BLADE REAR PU - AS510	VF90149	1	0	0	0	
Disc Brush							
	20BRUSH	VF90417	1	•	0	•	
Pad Holder							
	20INCH PAD HOLDER	VF90416	1	•	0	0	
	20INCH PAD HOLDER	VF90454	1	0	•	0	
Squeegee, B	Squeegee, Blade, Skirt and Splash Guard						
	SKIRT KIT	VS10151	1	0	0	0	
On-Board Ch	arger						
	CHARGER 24V 10A	VR27041	1	•		•	



# Designed to deliver continuous high-performance cleaning

ullet Standard equipment,  $^{\bigcirc}$  Supplementary accessories,  $^{\square}$  Mountable equipment

	Accessories	Ref. no.	Min. required	AS5160T-EU SCRUBBER 20IN 60L24V TRACTION	AS5160T-US SCRUBBER 20IN 60L24V TRACTION	AS5160T-TR SCRUBBER 20IN 60L24V TRACTION		
Squeegee Bl	Squeegee Blade							
	20 BLADE FRONT	VF90119	1	•	•	•		
	20 BLADE REAR	VF90120	1	•	•	•		
	SQUEEGEE BLADE FRONT PU - AS510	VF90148	1	0	0	0		
	SQUEEGEE BLADE REAR PU - AS510	VF90149	1	0	0	0		
Disc Brush		·						
	20BRUSH	VF90417	1	•	0	•		
Pad Holder								
	20INCH PAD HOLDER	VF90416	1	•	0	0		
	20INCH PAD HOLDER	VF90454	1	0	•	0		
Squeegee, B	Squeegee, Blade, Skirt and Splash Guard							
	SKIRT KIT	VS10151	1	0	0	0		
On-Board Ch	arger							
	CHARGER 24V 10A	VR27041	1	•		•		

